

# ACT-IR9201

## *Optical Power To Voltage Converter*

- 🚫 To capture IR transmitter intensity
- 🚫 Maximum IR pulse frequency supported: 0.625 MHz (applicable up to SIR 115.2 kbps)
- 🚫 Easy to measure IR optical power, no need to know hardware details
- 🚫 Easy to interface with oscilloscope using BNC cable



ACT-IR9201

The only IrDA adapter supplier that has test tools to help your system to be IrDA compliant !

**ACTiSYS**  
The Wireless Connectivity Expert

## Specifications

❖ Power:

# ACT-IR9201

## *Optical Power To Voltage Converter*

9 V DC, 6F22DT battery

❖ **Operating Temperature:**

0° C to 60° C (32° F to 140° F)

❖ **Storage Temperature:**

-20° C to 85° C (-4° F to 185° F)

❖ **Dimension:**

130 mm (5.12") L x 130 mm (5.12") W x 30.5 mm (1.20") H

❖ **Weight:**

291 g (7.7 oz.)

**The only IrDA adapter supplier that has test tools to help your system to be IrDA compliant !**

 **ACTiSYS Corporation**

921 Corporate Way  
Fremont, CA94539, U.S.A.  
Tel: +1-510-490-8024  
Fax: +1-510-623-7268  
E-mail: [irda-info@actisys.com](mailto:irda-info@actisys.com)  
Web Site: <http://www.actisys.com>

 **ACTiSYS International Corp.**

3rd Floor, #12, Prosperity 2nd Rd.,  
Hsin Chu City, Taiwan, R.O.C.  
Tel: +886-3-578-5161  
Fax: +886-3-578-5164  
E-mail: [info@actisys.com](mailto:info@actisys.com)  
Web Site: <http://www.actisys.com>